

IZAR B

Typ: stropní a nástěnné svítidlo
Těleso svítidla: bíle lakovaný plech
Stínítko: akrylátové sklo

Type: ceiling and wall lamp
Light body: white painted steel plate
Diffuser: acryl glass



Тип: потолочный и настенный светильник
Корпус светильника: листовая сталь покрытая белым лаком
Абаруж: акрилового стекла

Typ: Decken und Wandleuchte
Gehäuse: weiß lackiertes Stahlblech
Schirm: Acrylglas

Type: luminaire de plafond et mural
Le corps du luminaire: tôle en acier peint en blanc
Abat-jour: verre acrylique

Typ: lampa naścienna i sufitowa
Korpus lampy: stal malowana na biało
Dyfuzor: szkło akrylowe





Type PMMA

			A	B	C	☰
IB.218.330.X	2x18W	2G11	330	330	80	3100
IB.224.440.X	2x24W	2G11	440	440	80	5200

IP20

LED Type PMMA

	W	K	lm	A	B	C	☰
IB.L11.330.X	11.3	3000	1670	330	330	80	3500
IB.L12.330.X	11.3	4000	1730	330	330	80	3500
IB.L11.440.X	22.3	3000	3285	440	440	80	5400
IB.L12.440.X	22.3	4000	3585	440	440	80	5400



IP20

IZAR B



Typ: stropní svítidlo
Těleso svítidla: bíle lakovaný plech
Stínitko: akrylátové sklo

Type: ceiling lamp
Light body: white painted steel plate
Diffuser: acryl glass



Тип: потолочный светильник
Корпус светильника: листовая сталь покрытая белым лаком
Абаруж: акрилового стекла

Typ: Deckenleuchte
Gehäuse: weiß lackiertes Stahlblech
Schirm: Acrylglas

Type: luminaire de plafond
Le corps du luminaire: tôle en acier peint en blanc
Abat-jour: verre acrylique

Typ: lampa sufitowa
Korpus lampy: stal malowana na biało
Dyfuzor: szkło akrylowe





Type PMMA

			A	B	C	
IB.L11.600.X	4x14W	G5	600	600	80	10600
IB.L12.600.X	4x24W	G5	600	600	80	10600
IB.L11.900.X	6x21W	G5	900	900	80	24500

IP20

LED Type PMMA

	W	K	Im	A	B	C	
IB.L11.600.X	46	3000	6680	600	600	80	12500
IB.L12.600.X	46	4000	6920	600	600	80	12500
IB.L11.900.X	102	3000	15030	900	900	80	29600
IB.L12.900.X	102	4000	15570	900	900	80	29600



IP20